



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/410,336	10/01/1999	SUSAN LOVE	12.006011	6727

38732 7590 06/07/2004

CYTYC CORPORATION  
85 SWANSON ROAD  
BOXBOROUGH, MA 01719

EXAMINER

RAWLINGS, STEPHEN L

ART UNIT PAPER NUMBER

1642

DATE MAILED: 06/07/2004

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

09/410,336

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER
----------

ART UNIT	PAPER
----------	-------

1642

20040602

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

### Notice of Non-Compliant Amendment

The amendment filed on March 26, 2004 is considered non-compliant because it fails to meet the requirements of 37 CFR § 1.121, as amended on June 30, 2003 (see *68 Fed. Reg. 38611*, Jun. 30, 2003). In order for the amendment to be compliant, correction of the following item(s) is required. **Only the corrected section of the non-compliant amendment must be resubmitted (in its entirety), e.g., the entire "Amendments to the claims" section of applicant's amendment must be re-submitted.** 37 CFR § 1.121(h).

The amendment is non-compliant because the "Listing of Claims" is not a complete listing of all of the claims. Additionally, each claim has not been provided with the proper status identifier, and as such, the individual status of each claim cannot be identified. Furthermore, each section of the amendment document (e.g., Specification Amendments, Claim Amendments, and Remarks) must begin on a separate sheet to facilitate the process of separately indexing and scanning each section of the amendment document for placement in the image file wrapper.

For further explanation of the amendment format required by 37 CFR § 1.121, see MPEP § 714 and the USPTO website at

<http://www.uspto.gov/web/offices/pac/dapp/opla/preognotice/officeflyer.pdf>.

As the non-compliant amendment is reply to a NON-FINAL OFFICE ACTION, and since the amendment appears to be a bona fide attempt to be a reply (37 CFR § 1.135(c)), applicant is given a TIME PERIOD of **ONE (1) MONTH** from the mailing date of this notice within which to re-submit the corrected section which complies with 37 CFR § 1.121 in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Art Unit: 1642

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen L. Rawlings, Ph.D. whose telephone number is (571) 272-0836. The examiner can normally be reached on Monday-Friday, 8:30AM-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christina Chan can be reached on (571) 272-0841. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Stephen L. Rawlings, Ph.D.  
Examiner  
Art Unit 1642

slr  
June 6, 2004

*Phillip Gambel*  
PHILLIP GAMBEL, PH.D  
PRIMARY EXAMINER  
*TECH CENTER 1600*  
*6/3/04*